

Lincoln Middle Subdivision

City of El Paso — City Plan Commission — 2/8/2018

SUSU18-00004 — Major Combination



STAFF CONTACT: Jovani Francia, (915) 212-1613, franciajx@elpasotexas.gov

PROPERTY OWNER: El Paso Independence School District

REPRESENTATIVE: Brock & Bustillos, Inc.

LOCATION: South of Redd Road & West of Doniphan, District 1

ACREAGE: 62.6512

VESTED: No

PARK FEES REQUIRED: N/A

EXCEPTION/MODIFICATION REQUEST: 1: Exception to waive the required DSC standards for Lindbergh, Mulberry, and Warriors streets.

RELATED APPLICATIONS: N/A

PUBLIC INPUT: N/A

STAFF RECOMMENDATION: Approval

SUMMARY OF REQUEST: The applicant proposes to subdivide 62.6512 acres of land into 4 school lots. Primary access to the proposed subdivision is from Lindbergh, Mora, Mulberry, and Warriors streets. This subdivision is being reviewed under the current subdivision code.

SUMMARY OF RECOMMENDATION: Planning staff recommends **Approval** of Lincoln Middle Subdivision on a major combination basis, however, does not recommend approval of the exception request.




DESCRIPTION OF ANY EXCEPTIONS, MODIFICATIONS, OR WAIVERS

The applicant is requesting the following exception under 19.10.050-A (Roadway participation policies):


- To waive the required improvements to their proportionate share of Lindbergh Avenue, Mulberry Avenue, and Warriors Drive.
 - 1) Lindbergh Avenue – Section C
The roadway requires 18' of participation – 16.5' is what exists. The parkway is in the wrong configuration.
 - 2) Lindbergh Avenue – Section D
The parkway is in the wrong configuration.
 - 3) Mulberry Avenue
The roadway requires 18' of participation – 12' is what exists. The parkway is in the wrong configuration.
 - 4) Warriors Drive – Section F
Only 3' of parkway exists.
- To waive 2 feet of sidewalk along a portion of Warriors Drive (Warriors – Section F)
 - 1) There is only 3 feet of sidewalk within the ROW and the DSC requires 5 feet. The remaining 2 feet is within private property.

Lindbergh Avenue – Section C

Required




Proposed



Lindbergh Avenue – Section D


Required



RESIDENTIAL COLLECTOR

CAN BE DESIGNED TO PROVIDE FOR ANGLE PARKING

Proposed




LINDBERGH AVENUE (EXISTING)

SECTION "D"
(RESIDENTIAL COLLECTOR)
(60' RIGHT-OF-WAY)

Mulberry Avenue


Required



RESIDENTIAL COLLECTOR

CAN BE DESIGNED TO PROVIDE FOR ANGLE PARKING

Proposed




MULBERRY AVENUE (PROPOSED)

SECTION "A"
(RESIDENTIAL COLLECTOR)
(50.5' RIGHT-OF-WAY)

Warriors Drive – Section F


Required



32' LOCAL RESIDENTIAL 3

NOTE: CROSS SECTIONS ARE MINIMUM, STANDARD REQUIREMENTS

Proposed



WARRIORS DRIVE (EXISTING)

SECTION "F"
(LOCAL STREET)
(70' RIGHT-OF-WAY)

The applicant does meet the following criteria under Section 19.10.050 (Roadway participation policies – Improvement of roads and utilities within and or abutting the subdivision) for requesting an exception. The section reads as follows:

Section 19.10.050-A

1: The City Plan Commission may waive such requirements to provide rights-of-way or street improvements to adjacent substandard roads based on any of the following factors:

a: Fifty per cent of the lots within a quarter mile of the proposed development have already been developed and the existing street improvements are in character with the neighborhood.



NEIGHBORHOOD CHARACTER: Subject property is zoned R-2 (Residential). Properties adjacent to the subject property are zoned R-1 (Residential) and R-2 (Residential). Surrounding land uses are residential. The nearest park is Thorn Park (0.51 miles). This property is not located within any Impact Fee Service Areas.

COMMENT FROM THE PUBLIC: N/A.

STAFF COMMENTS:

No objections to proposed subdivision.


PLAT EXPIRATION:


This application will expire on **February 8, 2021**. If the final plat has not been recorded within the specified date, the final plat approval, unless extended in accordance with Chapter 19.41 (Expiration, extension and reinstatement), shall expire and the applicable plat shall be deemed null and void.

ATTACHMENTS:


1. Preliminary Plat
2. Final Plat
3. Exception Request Letter
4. Application
5. Department Comments

ATTACHMENT 1





ATTACHMENT 2





LINE	THICKNESS	AREA	PERCENT
1	1/2"	1.00	100.00
2	1/4"	0.50	50.00
3	1/8"	0.25	25.00
4	1/16"	0.125	12.50
5	1/32"	0.0625	6.25
6	1/64"	0.03125	3.125
7	1/128"	0.015625	1.5625
8	1/256"	0.0078125	0.78125
9	1/512"	0.00390625	0.390625
10	1/1024"	0.001953125	0.1953125
11	1/2048"	0.0009765625	0.09765625
12	1/4096"	0.00048828125	0.048828125
13	1/8192"	0.000244140625	0.0244140625
14	1/16384"	0.0001220703125	0.01220703125
15	1/32768"	0.00006103515625	0.006103515625
16	1/65536"	0.000030517578125	0.0030517578125
17	1/131072"	0.0000152587890625	0.00152587890625
18	1/262144"	0.00000762939453125	0.000762939453125
19	1/524288"	0.000003814697265625	0.0003814697265625
20	1/1048576"	0.0000019073486328125	0.00019073486328125
21	1/2097152"	0.00000095367431640625	0.000095367431640625
22	1/4194304"	0.000000476837158203125	0.0000476837158203125
23	1/8388608"	0.0000002384185791015625	0.00002384185791015625
24	1/16777216"	0.00000011920928955078125	0.000011920928955078125
25	1/33554432"	0.000000059604644775390625	0.0000059604644775390625
26	1/67108864"	0.0000000298023223876953125	0.00000298023223876953125
27	1/134217728"	0.00000001490116119384765625	0.000001490116119384765625
28	1/268435456"	0.000000007450580596923828125	0.0000007450580596923828125
29	1/536870912"	0.0000000037252902984619140625	0.00000037252902984619140625
30	1/1073741824"	0.00000000186264514923095703125	0.000000186264514923095703125
31	1/2147483648"	0.000000000931322574615478515625	0.0000000931322574615478515625
32	1/4294967296"	0.0000000004656612873077392578125	0.00000004656612873077392578125
33	1/8589934592"	0.00000000023283064365386962890625	0.000000023283064365386962890625
34	1/17179869184"	0.000000000116415321826934814453125	0.0000000116415321826934814453125
35	1/34359738368"	0.0000000000582076609134674072265625	0.00000000582076609134674072265625
36	1/68719476736"	0.00000000002910383045673370361328125	0.000000002910383045673370361328125
37	1/137438953472"	0.000000000014551915228366851806640625	0.0000000014551915228366851806640625
38	1/274877906944"	0.0000000000072759576141834259033203125	0.00000000072759576141834259033203125
39	1/549755813888"	0.00000000000363797880709171295166015625	0.000000000363797880709171295166015625
40	1/1099511627776"	0.000000000001818989403545856475830078125	0.0000000001818989403545856475830078125
41	1/2199023255552"	0.0000000000009094947017729282379150390625	0.0000000000009094947017729282379150390625
42	1/4398046511104"	0.00000000000045474735088641191895751953125	0.00000000000045474735088641191895751953125
43	1/8796093022208"	0.000000000000227373675443205959478759765625	0.000000000000227373675443205959478759765625
44	1/17592186044416"	0.0000000000001136868377216029797393798828125	0.0000000000001136868377216029797393798828125
45	1/35184372088832"	0.00000000000005684341886080148986968994140625	0.00000000000005684341886080148986968994140625
46	1/70368744177664"	0.000000000000028421709430400744934844970703125	0.000000000000028421709430400744934844970703125
47	1/140737488355328"	0.0000000000000142108547152003724674224853515625	0.0000000000000142108547152003724674224853515625
48	1/281474976710656"	0.00000000000000710542735760018623371124267678125	0.00000000000000710542735760018623371124267678125
49	1/562949953421312"	0.0000000000000035527136788000931168556213384375	0.0000000000000035527136788000931168556213384375
50	1/1125899906842624"	0.0000000000000017763568394000465584278106691875	0.0000000000000017763568394000465584278106691875
51	1/2251799813685248"	0.00000000000000088817841970002327921390533459375	0.00000000000000088817841970002327921390533459375
52	1/4503599627370496"	0.00000000000000044408920985001163960695167296875	0.00000000000000044408920985001163960695167296875
53	1/9007199254740992"	0.000000000000000222044604925005819803475836484375	0.000000000000000222044604925005819803475836484375
54	1/18014398509481984"	0.0000000000000001110223024625029099017379182421875	0.0000000000000001110223024625029099017379182421875
55	1/36028797018963968"	0.00000000000000005551115123125145495086895912109375	0.00000000000000005551115123125145495086895912109375
56	1/72057594037927936"	0.000000000000000027755575615625727475442479556046875	0.000000000000000027755575615625727475442479556046875
57	1/144115188075855872"	0.0000000000000000138777878078128637227212397780234375	0.0000000000000000138777878078128637227212397780234375
58	1/288230376151711744"	0.00000000000000000693889390390643186113609888901171875	0.00000000000000000693889390390643186113609888901171875
59	1/576460752303423488"	0.00000000000000000346944695195321593056804944450589375	0.00000000000000000346944695195321593056804944450589375
60	1/1152921504606846976"	0.000000000000000001734723475976607965284024722252946875	0.000000000000000001734723475976607965284024722252946875
61	1/2305843009213693952"	0.0000000000000000008673617379883039826420123611264734375	0.0000000000000000008673617379883039826420123611264734375
62	1/4611686018427387904"	0.00000000000000000043368086899415199132100618056323671875	0.00000000000000000043368086899415199132100618056323671875
63	1/9223372036854775808"	0.000000000000000000216840434497075995660503090281618359375	0.000000000000000000216840434497075995660503090281618359375
64	1/18446744073709551616"	0.0000000000000000001084202172485379978302515451408091796875	0.0000000000000000001084202172485379978302515451408091796875
65	1/36893488147419103232"	0.00000000000000000005421010862426899891512577257040458984375	0.00000000000000000005421010862426899891512577257040458984375
66	1/73786976294838206464"	0.000000000000000000027105054312134499457562886285202294921875	0.000000000000000000027105054312134499457562886285202294921875
67	1/147573952589676412928"	0.000000000000000000013552527156067249728781443142601147109375	0.000000000000000000013552527156067249728781443142601147109375
68	1/295147905179352825856"	0.0000000000000000000067762635780336248643907215713000735546875	0.0000000000000000000067762635780336248643907215713000735546875
69	1/590295810358705651712"	0.00000000000000000000338813178901681243219536078565003677734375	0.00000000000000000000338813178901681243219536078565003677734375
70	1/1180591620717411303424"	0.000000000000000000001694065894508406216097680392825018388671875	0.000000000000000000001694065894508406216097680392825018388671875
71	1/2361183241434822606848"	0.0000000000000000000008470329472542031080488401964125091943359375	0.0000000000000000000008470329472542031080488401964125091943359375
72	1/4722366482869645213696"	0.00000000000000000000042351647362710154402442009820625459716796875	0.00000000000000000000042351647362710154402442009820625459716796875
73	1/9444732965739290427392"	0.000000000000000000000211758236813550772012220049103127298583984375	0.000000000000000000000211758236813550772012220049103127298583984375
74	1/18889465931478580854784"	0.0000000000000000000001058791184067753860061100245515636492919921875	0.0000000000000000000001058791184067753860061100245515636492919921875
75	1/37778931862957161709568"	0.00000000000000000000005293955920338769300305501227578182464599609375	0.00000000000000000000005293955920338769300305501227578182464599609375
76	1/75557863725914323419136"	0.000000000000000000000026469779601693846501527506137890912322998046875	0.000000000000000000000026469779601693846501527506137890912322998046875
77	1/151115727451828646838272"	0.0000000000000000000000132348898008469232507637530689454561149902234375	0.0000000000000000000000132348898008469232507637530689454561149902234375
78	1/302231454903657293676544"	0.0000000000000000000000066174449004234616253818765344727280724951171875	0.0000000000000000000000066174449004234616253818765344727280724951171875
79	1/604462909807314587353088"	0.00000000000000000000000330872245021173081269093826723636403624755859375	0.00000000000000000000000330872245021173081269093826723636403624755859375
80	1/1208925819614629174706176"	0.000000000000000000000001654361225105865406345469133618182018123779296875	0.000000000000000000000001654361225105865406345469133618182018123779296875
81	1/2417851639229258349412352"	0.0000000000000000000000008271806125529327031727345668180910090618896484375	0.0000000000000000000000008271806125529327031727345668180910090618896484375
82	1/4835703278458516698824704"	0.00000000000000000000000041359030627646635158636728340945504503094442421875	0.00000000000000000000000041359030627646635158636728340945504503094442421875
83	1/9671406556917033397649408"	0.000000000000000000000000206795153138233175793183641704727522515472212109375	0.000000000000000000000000206795153138233175793183641704727522515472212109375
84	1/19342813113834066795298816"	0.0000000000000000000000001033975765691165878965918208523637612577361060546875	0.0000000000000000000000001033975765691165878965918208523637612577361060546875
85	1/38685626227668133590597632"	0.000000000000000000000000051698788284558293948295910426181880628868052734375	0.000000000000000000000000051698788284558293948295910426181880628868052734375
86	1/77371252455336267181195264"	0.000000000000000000000000025849394142279146974147955213090940314434013671875	0.000000000000000000000000025849394142279146974147955213090940314434013671875
87	1/154742504910672534362390528"	0.0000000000000000000000000129246970711395734870739776065454701572170068359375	0.0000000000000000000000000129246970711395734870739776065454701572170068359375
88	1/309485009821345068724781056"	0.00000000000000000000000000646234853556978674353698880327273508858503341796875	0.00000000000000000000000000646234853556978674353698880327273508858503341796875
89	1/618970019642690137449562112"	0.0000000000000000000000000032311742677848933721768444016361367544292667089375	0.0000000000000000000000000032311742677848933721768444016361367544292667089375
90	1/1237940039285380274899124224"	0.00000000000000000000000000161558713389244668608842220081806877221463335446875	0.00000000000000000000000000161558713389244668608842220081806877221463335446875
91	1/2475880078570760549798248448"	0.00000000000000000000000000080779356694622334304421110040090343610731667722234375	0.00000000000000000000000000080779356694622334304421110040090343610731667722234375
92	1/4951760157141521099596496896"	0.0000000000000000000000000004038967834731116715221055502004517180536583611171875	0.0000

ATTACHMENT 3



EL PASO INDEPENDENT
SCHOOL DISTRICT

Facilities & Construction

December 19, 2017

Jim Henry
Senior Planner
City of El Paso, Planning & Inspections Department

Finance & Operations
Facilities & Construction
6531 Boeing Dr.
El Paso, TX 79925
(915) 230-2280
www.episd.org

RE: Waiver to ROW Improvements along Mulberry, Warriors and Lindbergh Ave.

Mr. Henry,

EPISD is in the process of major improvement projects district wide. A number of these projects are being planned to fulfill the procedural requirements of city code. In accordance with 19.10.050 EPISD requests a waiver to all required improvements along Mulberry, Warriors and Lindbergh Ave. The existing streets are in character with the surrounding development. Landscape buffer and sidewalks, generally are not characteristic of upper valley development.

EPISD maintains that granting of this waiver will not be detrimental to the public health, safety or welfare, or injurious to other property within the area. Additionally, the degree of variation requested is the minimum amount necessary to meet the needs of the District and to satisfy the standards in this title.

EPISD is committed to creating safe and successful 21st century learning environments and will ensure that safety and adequacy of surrounding street improvements is addressed in all 2016 Bond projects.

Sincerely,

Joaquin Rodriguez, CNU-A
Project Manager, Urban Planning & Real Estate Development
Facilities and Construction
EPISD

ATTACHMENT 4



CITY PLAN COMMISSION APPLICATION FOR MAJOR COMBINATION SUBDIVISION APPROVAL

DATE: 01/09/2018 ^{re}
12/21/2017 FILE NO. SUSU18-00004

SUBDIVISION NAME: Lincoln Middle School Subdivision

1. Legal description for the area included on this plat (Tract, Block, Grant, etc.)
Tracts 11, 12A and 13B, Block 5, Upper Valley Grant Surveys.

2. Property Land Uses:

	<u>ACRES</u>	<u>SITES</u>		<u>ACRES</u>	<u>SITES</u>
Single-family	_____	_____	Office	_____	_____
Duplex	_____	_____	Street & Alley	_____	_____
Apartment	_____	_____	Ponding & Drainage	_____	_____
Mobile Home	_____	_____	Institutional	_____	_____
P.U.D.	_____	_____	Other (specify below)	_____	_____
Park	_____	_____		_____	_____
School	<u>62.6512</u>	<u>4</u>		_____	_____
Commercial	_____	_____	Total No. Sites	_____	<u>4</u>
Industrial	_____	_____	Total (Gross) Acreage	<u>62.6512</u>	_____

3. What is existing zoning of the above described property? R1 & R2 Proposed zoning? R1 & R2

4. Will the residential sites, as proposed, permit development in full compliance with all zoning requirements of the existing residential zone(s)? Yes x No _____

5. What type of utility easements are proposed: Underground _____ Overhead _____ Combination of Both x

6. What type of drainage is proposed? (If applicable, list more than one)
Maintain existing sheet flow to city's storm drain sewer system.

7. Are special public improvements proposed in connection with development? Yes _____ No x

8. Is a modification or exception of any portion of the Subdivision Ordinance proposed? Yes _____ No x
If answer is "Yes", please explain the nature of the modification or exception _____

9. Remarks and/or explanation of special circumstances: _____

10. Improvement Plans submitted? Yes _____ No x

11. Will the proposed subdivision require the city to review and decide whether this application is subject to the standards in effect prior to the effective date of the current applicable standards? Yes _____ No x

If yes, please submit a vested rights petition in accordance with Title I (General Provisions) Chapter 1.04 - Vested Rights

City Development Department
811 Texas | P.O. Box 1890 | El Paso, Texas 79950-1890 | (915) 212-0085

12. Owner of record El Paso Independent School District, 6531 Boeing Drive, El Paso, Texas 79925 (915)230-2796
(Name & Address) (Zip) (Phone)
13. Developer El Paso Independent School District, 6531 Boeing Drive, El Paso, Texas 79925 (915)230-2796
(Name & Address) (Zip) (Phone)
14. Engineer Brock & Bustillos Inc., 417 Executive Center Blvd., El Paso, Texas 79902 (915)542-4900
(Name & Address) (Zip) (Phone)

**Effective September 1, 2014, a 3% Technology fee has been added to all Planning application fees.*

OWNER SIGNATURE: 

REPRESENTATIVE: 

NOTE: SUBMITTAL OF AN APPLICATION DOES NOT CONSTITUTE ACCEPTANCE FOR PROCESSING UNTIL THE PLANNING DEPARTMENT REVIEWS THE APPLICATION FOR ACCURACY AND COMPLETENESS.

City Development Department
811 Texas | P.O. Box 1890 | El Paso, Texas 79950-1890 | (915) 212-0085

ATTACHMENT 5

Planning & Inspections Department- Planning Division

Developer / Engineer shall address the following comments:

1: Submit to the Planning & Inspections Department – Planning Division the following prior to recording of the subdivision:

- a: Current certificate tax certificate(s)
- b: Current proof of ownership.
- c: Release of access document, if applicable.
- d: Set of restrictive covenants, if applicable.

2: Every subdivision shall provide for postal delivery service. The subdivider shall coordinate the installation and construction with the United States Postal Service in determining the type of delivery service for the proposed subdivision. In all cases, the type and location of delivery service shall be subject to the approval of the United States Postal Service.

Planning & Inspections Department – Land Development

We have reviewed subject plats and recommend **Approval**. The Developer/Engineer shall address the following comments.

1: Verify if private drainage easements will be required between lots for storm-water runoff. Reference the document numbers on final plat if by separate instrument.

2: The proposed ponding areas shall have enough total capacity to hold the developed runoff for a designed 100-yr storm event. Verify that they are sized accordingly at time of construction.

3: Show all existing underground storm drain structures with discharge points which are connected to drop inlets shown on the preliminary plat.

Capital Improvements Department – Parks & Recreation

We have reviewed **Lincoln Middle Subdivision**, a major combination plat map and on behalf of CID Parks Planning Division we offer Developer / Engineer the following comments:

Please note this Subdivision is currently housing **Lincoln Middle School Subdivision** which under the Municipal Code definitions is considered a "Public facility" therefore, meets the requirements to be excluded from the calculation for parkland dedication ordinance Title 19 – Subdivision & Development Plats, **Chapter 19.20 Parks and Open Space** as noted below:

19.20.060 - Exclusions from Dedication Requirements.

Exclusions. The following shall be excluded from the calculation for parkland dedication. In all instances, the burden of proof shall be on the subdivider to demonstrate that the plat meets the requirements of this chapter:

H. Land shown within a subdivision, whether residential or nonresidential, which is designated for use as a "Public facility".

Central Appraisal District

No objections.

El Paso Water Utilities

EPWater-PSB does not object to this request.

Water:

There is an existing 8-inch diameter water main that extends along the east side of Warriors Drive, approximately 17-feet west of and parallel to the eastern right-of-way line and dead-ends approximately 1170-feet north of Lindbergh Avenue. This water main is available for service.

There is an existing 6-inch diameter water main that extends along the west side of Warriors Drive, approximately 21-feet east of and parallel to the western right-of-way line and dead-ends approximately 515-feet south of Mulberry Avenue. This water main is available for service.

There is an existing 12-inch diameter water main that extends along the north side of Lindberg Avenue, approximately 13-feet south of and parallel to the northern right-of-way line. This water main is available for service.

There is an existing 8-inch diameter water main that extends along the east side of Mora Drive, approximately 20-feet west of and parallel to the eastern right-of-way line. This water main is available for service.

There is an existing 12-inch diameter water main that extends along the north side of Mulberry Avenue, approximately 15-feet south of and parallel to the northern right-of-way line. This water main is available for service.

EPWU records indicate six active services, (4) 3/4-inch water meter, (1) 1-1/2 inch water meter and (1) 1-inch yard meter serving the subject property. The service addresses for these meters are 500 Mulberry Ave., 5300 Warriors Dr. 407 Lindberg Ave and 417 Lindberg Ave.

Previous water pressure from fire hydrant #4453 located on Warriors Dr. approximately 500-ft south of Mulberry Ave. has yield a static pressure of 70 (psi), a residual pressure of 68 (psi), and a discharge of 978 gallons per minute.

Sewer:

There is an existing 8-inch diameter sanitary sewer main that extends along Warriors Drive, approximately 30-feet east of and parallel to the western right-of-way line and dead-ends approximately 700-feet north of Lindbergh Avenue. This sanitary sewer main is available for service.

There is an existing 12-inch diameter sanitary sewer main that extends along the north side of Lindberg Avenue, approximately 30-feet south of and parallel to the northern right-of-way line. This sanitary sewer main is available for service.

There is an existing 8-inch diameter sanitary sewer main that extends along the west side of Mora Drive, approximately 25-feet east of and parallel to the western right-of-way line. This sanitary sewer main is available for service.

There is an existing 10-inch diameter sanitary sewer main that extends along the south side of Mulberry Avenue, approximately 9-feet north of and parallel to the southern right-of-way line. This sanitary sewer main is available for service.

There is an existing 16-inch diameter force main that extends along the south side of Mulberry Avenue, approximately 3-feet north of and parallel to the southern right-of-way line. This force main is not available for service.

General:

EPWater requires a new service application for additional services to the subject property. New service applications are available at 1154 Hawkins, 3rd Floor. The following items are required at the time of application: (1) hard copy of subdivision plat with street names and addresses; (2) finalized set of improvement plans, including storm sewer; (3) digital copy of subdivision plat; (4) benchmark check; and (5) construction schedule. Service will be provided in accordance with the current EPWater – PSB Rules and Regulations. The owner is responsible for the costs of any necessary on-site and off-site extensions, relocations or adjustments of water and sanitary sewer lines and appurtenances.

Sun Metro

Sun Metro does not oppose this request.

